

Publications

**2000-01
Variety Survey
Results**

October 2000

To: Recipients of the 2000-2001 CWB Variety Survey

Enclosed is a copy of the 2000 CWB Variety Survey. This is the third year the CWB has conducted this survey, which covers wheat, durum wheat, malting barley, hulless barley and feed barley. Also, please note last year's figures are in brackets. The survey will provide the CWB and the grain industry with valuable information about the popularity and location of different varieties of grain across the Prairies.

This year was the third time a variety survey has been sent directly to farmers, the third large-scale variety survey of any kind since 1992. The survey was mailed to all CWB permit book holders in June and farmers were asked to reply by October 1. The response was overwhelming, with over 22,000 respondents. We appreciate the efforts of those who assisted in encouraging such a good response, especially many elevator managers.

We plan to conduct this survey again in the future, so we would appreciate any feedback or suggestions you may have. For further information or comments, feel free to contact me by phone at (204) 983-3509, by fax (204) 984-1699 or by e-mail at brian_fedak@cwbc.ca.

Sincerely,
Brian A. Fedak
Program Supervisor
Market Development



Canada Western Red Spring
Canada Western Amber Durum
Canada Western Extra Strong
Canada Prairie Spring White
Canada Prairie Spring Red
Canada Western Red Winter
Canada Western Soft White Spring
Two-row Malting Barley
Six-row Malting Barley

Two-row and Six-row Malting Barley
 Two-row Hulless Barley
 Six-row Hulless Barley
 All Barley (Malting, Feed and Hulless)

**Canada Western Red Spring
 Table 1**

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba	Saskatchewan		Alberta		BC	
AC BARRIE	44.8	(47.5)	55.1 (63.7)	50.2	(50.9)	29.1	(33.0)	3.3	(2.0)
CDC TEAL	12.6	(13.8)	6.5 (8.2)	11.4	(11.4)	18.9	(20.5)	43.9	(32.6)
AC SPLENDOR	5.0	(2.4)	1.9 (1.0)	4.0	(1.5)	8.9	(4.5)	6.6	(13.0)
AC DOMAIN	4.0	(3.3)	15.4 (15.9)	0.6	(0.2)	0.1	(0.1)	0.0	(0.0)
KATEPWA	3.7	(5.7)	0.6 (1.4)	5.3	(7.8)	4.0	(5.2)	0.2	(2.9)
COLUMBUS	3.5	(4.7)	0.2 (0.2)	5.8	(7.7)	2.7	(3.0)	0.0	(0.0)
ROBLIN	3.4	(3.8)	0.4 (0.5)	0.9	(0.9)	9.1	(10.1)	23.3	(16.3)
MCKENZIE	3.3	(0.9)	2.2 (0.7)	3.6	(1.0)	3.9	(0.9)	0.8	(4.3)
AC CADILLAC	2.6	(0.6)	4.2 (0.6)	3.2	(0.8)	0.5	(0.2)	0.0	(0.0)
AC ELSA	2.0	(0.7)	1.3 (0.8)	2.5	(0.8)	1.9	(0.4)	0.0	(0.0)
AC MAJESTIC	1.9	(1.2)	4.7 (3.3)	1.1	(0.9)	1.0	(0.4)	0.0	(0.0)
LAURA	1.7	(2.9)	0.0 (T)	2.0	(4.1)	2.5	(3.0)	0.0	(0.8)
CDC MAKWA	1.6	(2.9)	0.0 (0.0)	2.4	(3.8)	1.6	(3.4)	5.7	(3.8)
AC INTREPID	1.5	(0.1)	2.4 (0.2)	0.9	(0.1)	1.5	(0.1)	4.0	(0.5)
AC CORA	1.0	(0.6)	3.9 (2.7)	0.2	(0.1)	T	(T)	0.0	(0.0)
AC EATONIA	1.0	(0.8)	0.0 (T)	0.3	(0.3)	2.8	(2.2)	0.0	(0.0)
NEEPAWA	0.9	(1.5)	T (T)	1.1	(1.7)	1.5	(2.2)	0.3	(4.4)
PRODIGY	0.8	(0.1)	0.5 (0.1)	1.1	(0.1)	0.7	(T)	0.6	(0.0)
OTHER	0.7	(0.7)	0.5 (0.5)	0.7	(0.6)	0.8	(1.0)	2.4	(1.6)
CONWAY	0.7	(1.0)	T (0.0)	0.1	(0.1)	2.1	(2.9)	1.8	(3.0)
PASQUA	0.7	(1.6)	T (0.2)	1.2	(3.0)	0.3	(0.3)	0.0	(0.0)
INVADER	0.6	(0.7)	0.2 (T)	0.6	(0.7)	1.2	(1.1)	0.0	(0.0)
PARK	0.5	(0.5)	0.0 (0.0)	T	(T)	1.6	(1.7)	0.2	(0.0)
AC MICHAEL	0.5	(0.7)	0.0 (0.0)	T	(T)	1.4	(2.1)	6.8	(14.8)
LEADER	0.4	(0.5)	0.0 (0.0)	0.3	(0.5)	0.7	(0.7)	0.0	(0.0)
LANCER	0.3	(0.5)	0.0 (0.0)	T	(0.5)	0.9	(0.7)	0.0	(0.0)
AC MINTO	0.2	(0.2)	0.0 (T)	0.5	(0.4)	T	(0.1)	0.0	(0.0)
AC ABBEY	0.1	(0.1)	0.0 (T)	0.1	(0.1)	0.1	(0.2)	0.0	(0.0)
ALIKAT	0.0	(n/a)	0.0 (n/a)	0.0	(n/a)	T	(n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

Canada Western Amber Durum

Table 2

Percentage of seeded acres / () = last year

Variety	Praire Average		Manitoba	Saskatchewan		Alberta	BC	
KYLE	70.3	(77.6)	21.3 (42.0)	75.0	(82.1)	58.0 (63.7)	0.0	(0.0)
AC MORSE	7.2	(2.2)	31.6 (22.1)	4.5	(1.3)	14.9 (4.4)	0.0	(0.0)
PLENTY	4.6	(6.2)	0.0 (6.6)	4.1	(5.1)	6.7 (9.7)	0.0	(0.0)
AC AVONLEA	4.5	(0.3)	25.3 (7.8)	4.5	(0.4)	2.5 (T)	0.0	(0.0)
OTHER	3.2	(3.7)	0.3 (0.0)	3.1	(3.4)	3.9 (4.5)	0.0	(0.0)
AC NAVIGATOR	3.2	(0.4)	11.5 (0.0)	3.4	(0.4)	1.8 (T)	0.0	(0.0)
SCEPTRE	2.5	(3.9)	6.2 (20.0)	1.7	(1.8)	4.9 (10.5)	0.0	(0.0)
WAKOOMA	2.1	(2.6)	0.0 (0.0)	2.1	(3.0)	2.3 (1.6)	0.0	(0.0)
AC MELITA	1.7	(2.1)	0.3 (0.6)	0.8	(1.3)	4.8 (5.0)	0.0	(0.0)
MEDORA	0.7	(0.8)	3.6 (0.9)	0.8	(0.9)	0.1 (0.6)	0.0	(0.0)

* Trace: less than 0.05 percent

**Canada Western Extra Strong
Table 3**

Percentage of seeded acres / () = last year

Variety	Praire Average		Manitoba	Saskatchewan		Alberta	BC	
GLENLEA	49.7	(57.0)	74.6 (83.5)	75.0	(87.4)	19.4 (24.2)	0.0	(0.0)
BLUESKY	29.0	(29.4)	2.2 (2.4)	9.1	(10.0)	55.9 (54.5)	0.0	(100.0)
LASER	13.7	(6.5)	14.8 (7.3)	7.3	(0.8)	18.0 (10.3)	0.0	(0.0)
WILDCAT	7.0	(7.1)	5.3 (6.8)	8.4	(1.8)	6.7 (10.9)	0.0	(0.0)
AMAZON	0.6	(n/a)	2.6 (n/a)	0.2	(n/a)	0.0 (n/a)	0.0	(n/a)
AC CORINNE	0.1	(n/a)	0.5 (n/a)	0.0	(n/a)	0.0 (n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

**Canada Prairie Spring White
Table 4**

Percentage of seeded acres / () = last year

Variety	Praire Average		Manitoba	Saskatchewan		Alberta	BC	
AC KARMA	46.7	(57.5)	100.0 (57.6)	42.5	(54.0)	62.6 (77.2)	0.0	(0.0)
AC VISTA	28.4	(9.5)	0.0 (42.4)	32.0	(8.0)	12.3 (11.3)	0.0	(0.0)
GENESIS	25.0	(33.0)	0.0 (0.0)	25.5	(38.0)	25.1 (11.5)	0.0	(0.0)

* Trace: less than 0.05 percent

**Canada Prairie Spring Red
Table 5**

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
AC CRYSTAL	40.4	(13.7)	46.0	(47.0)	58.2	(26.0)	33.8	(6.6)	52.2	(15.7)
AC TABER	26.9	(43.1)	43.6	(38.0)	22.5	(45.0)	28.3	(43.3)	0.0	(0.0)
AC FOREMOST	20.0	(22.1)	3.5	(12.5)	12.8	(25.0)	23.5	(21.5)	6.2	(10.7)
BIGGAR	9.6	(17.2)	0.4	(0.0)	4.1	(3.0)	11.3	(23.5)	37.1	(65.9)
OSLO	2.5	(2.6)	6.5	(2.5)	1.9	(0.5)	2.6	(3.4)	0.0	(0.0)
CUTLER	0.5	(1.3)	0.0	(0.0)	0.4	(0.5)	0.5	(1.7)	4.5	(7.7)

* Trace: less than 0.05 percent

Canada Western Red Winter Table 6

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
CDC CLAIR	54.6	(32.5)	46.1	(35.9)	66.3	(34.5)	45.6	(22.9)	0.0	(0.0)
CDC KESTREL	35.0	(61.4)	3.9	(64.1)	31.4	(65.5)	18.9	(49.7)	0.0	(0.0)
CDC HARRIER	4.6	(n/a)	8.8	(n/a)	1.8	(n/a)	0.0	(n/a)	0.0	(n/a)
AC READYMADE	3.5	(4.8)	0.0	(0.0)	0.1	(0.0)	24.3	(21.7)	0.0	(0.0)
CDC OSPREY	1.7	(1.3)	0.2	(0.0)	0.0	(0.0)	11.1	(5.7)	0.0	(0.0)
CDC FALCON	0.6	(n/a)	0.9	(n/a)	0.4	(n/a)	0.0	(n/a)	0.0	(n/a)
AC BELLATRIX	0.1	(n/a)	0.2	(n/a)	0.0	(n/a)	0.0	(n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

Canada Western Soft White Spring Table 7

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
AC REED	62.1	(60.3)	0.0	(0.0)	79.4	(51.2)	59.9	(60.5)	0.0	(0.0)
AC PHIL	14.3	(24.8)	0.0	(0.0)	3.6	(0.0)	15.7	(25.3)	0.0	(0.0)
AC NANDA	13.5	(n/a)	0.0	(n/a)	5.8	(n/a)	14.5	(n/a)	0.0	(n/a)
FIELDER	10.0	(14.9)	0.0	(0.0)	11.2	(48.8)	9.9	(14.2)	0.0	(0.0)

* Trace: less than 0.05 percent

Two-row Malting Barley Table 8

Percentage of seeded acres / () = last year

Variety	Praire Average		Manitoba		Saskatchewan		Alberta		BC	
HARRINGTON	45.1	(56.4)	4.5	(14.3)	43.9	(54.3)	51.2	(63.2)	78.9	(93.9)
AC METCALFE	19.7	(3.6)	38.9	(11.2)	21.4	(4.7)	15.3	(1.3)	17.1	(0.0)
STEIN	9.0	(5.9)	0.0	(0.0)	10.0	(7.1)	9.0	(5.2)	1.9	(0.0)
CDC STRATUS	7.6	(6.0)	35.9	(37.4)	5.1	(5.0)	7.3	(4.1)	0.0	(0.0)
MANLEY	5.3	(10.7)	1.6	(1.1)	6.9	(12.6)	3.8	(9.1)	0.0	(0.0)
CDC KENDALL	4.5	(1.7)	0.4	(0.0)	6.2	(2.4)	3.0	(1.1)	0.0	(0.0)
OTHER	3.1	(4.0)	9.6	(12.4)	1.9	(2.6)	3.8	(4.9)	0.0	(0.0)
AC OXBOW	2.3	(8.2)	8.8	(23.6)	2.6	(11.0)	1.3	(2.9)	0.0	(0.0)
MERIT	1.9	(0.2)	0.0	(0.0)	1.9	(T)	2.1	(0.5)	0.0	(0.0)
B1215	1.4	(3.3)	0.3	(0.0)	0.2	(0.3)	3.1	(7.7)	2.1	(6.1)
AC BOUNTIFUL	0.0	(n/a)	0.0	(n/a)	T	(n/a)	0.1	(n/a)	0.0	(n/a)
CDC COPELAND	0.0	(n/a)	0.0	(n/a)	0.0	(n/a)	0.0	(n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

Six-row Malting Barley
Table 9

Percentage of seeded acres / () = last year

Variety	Praire Average		Manitoba		Saskatchewan		Alberta		BC	
EXCEL	44.1	(34.5)	26.5	(27.8)	58.1	(46.1)	19.7	(11.1)	0.0	(0.0)
ROBUST	35.8	(30.2)	63.1	(54.6)	24.3	(19.1)	2.8	(2.0)	0.0	(0.0)
B1602	8.4	(14.5)	1.6	(1.7)	9.0	(21.2)	33.7	(26.2)	13.0	(29.7)
STANDER	4.0	(8.0)	4.5	(9.7)	1.5	(4.0)	19.9	(17.3)	0.0	(31.1)
CDC SISLER	2.5	(0.8)	1.2	(0.1)	3.3	(1.4)	1.7	(0.0)	0.0	(0.0)
OTHER	2.4	(4.1)	1.5	(3.0)	1.6	(1.5)	11.4	(16.3)	19.0	(32.5)
TANKARD	0.7	(0.7)	0.5	(0.8)	0.8	(0.4)	1.0	(1.3)	0.0	(0.0)
FOSTER	0.7	(2.6)	0.8	(1.6)	0.5	(4.1)	1.7	(0.6)	0.0	(0.0)
BONANZA	0.7	(1.5)	0.1	(0.2)	0.7	(1.0)	2.2	(7.7)	9.5	(0.0)
ARGYLE	0.5	(1.3)	0.1	(0.5)	0.3	(0.7)	2.5	(6.1)	58.5	(6.7)
DUEL	0.3	(1.6)	T	(0.0)	0.0	(0.3)	3.3	(11.4)	0.0	(0.0)
AC BUFFALO	0.0	T	0.1	(0.0)	T	(T)	0.0	(0.0)	0.0	(0.0)
CDC YORKTON	0.0	(n/a)	0.0	(n/a)	T	(n/a)	0.0	(n/a)	0.0	(n/a)
BT435	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)	0.0	(0.0)

* Trace: less than 0.05 percent

Two-row and Six-row Malting Barley
Table 10

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
Two-row	67.8	(68.6)	24.7	(19.4)	65.5	(70.7)	91.7	(87.7)	94.3	(49.0)
Six-row	32.2	(31.4)	75.3	(80.6)	34.5	(29.3)	8.3	(12.3)	5.7	(51.0)

* Trace: less than 0.05 percent

Two-row Hulless Barley

Table 11

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
CDC GAINER	27.0	(4.8)	66.0	(19.0)	6.1	(1.1)	4.2	(0.7)	0.0	(0.0)
CDC DAWN	26.2	(28.0)	0.0	(7.4)	46.8	(42.3)	20.1	(11.8)	0.0	(0.0)
PHOENIX	18.7	(20.2)	5.2	(13.2)	28.0	(24.9)	19.8	(15.4)	0.0	(0.0)
OTHER	11.8	(11.3)	7.0	(2.4)	7.1	(6.8)	37.6	(30.3)	0.0	(0.0)
CONDOR	8.6	(16.0)	14.9	(57.4)	4.0	(4.4)	9.0	(6.2)	0.0	(0.0)
CDC FREEDOM	3.0	(0.4)	5.5	(0.6)	2.2	(0.6)	0.0	(T)	0.0	(0.0)
CDC RICHARD	2.5	(19.3)	0.0	(0.0)	3.8	(19.9)	4.3	(35.6)	0.0	(0.0)
TERCEL	1.9	(n/a)	0.8	(n/a)	1.8	(n/a)	4.9	(n/a)	0.0	(n/a)
CDC MCGWIRE	0.2	(n/a)	0.5	(n/a)	T	(n/a)	T	(n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

Six-row Hulless Barley

Table 12

Percentage of seeded acres / () = last year

Variety	Prairie Average		Manitoba		Saskatchewan		Alberta		BC	
FALCON	35.5	(44.5)	36.8	(37.4)	18.5	(21.3)	46.6	(59.3)	0.0	(0.0)
AC BACON	27.3	(2.1)	32.0	(3.6)	19.9	(1.8)	23.6	(0.8)	0.0	(0.0)
OTHER	17.2	(20.7)	6.0	(3.1)	36.7	(21.3)	24.8	(37.7)	0.0	(100.0)
CDC SILKY	8.9	(24.8)	11.7	(42.2)	12.8	(46.3)	0.0	(0.7)	0.0	(0.0)
CDC BUCK	7.3	(6.7)	10.1	(12.3)	7.7	(5.2)	1.2	(1.5)	0.0	(0.0)
AC HAWKEYE	3.2	(1.2)	3.4	(1.4)	3.3	(4.1)	2.9	(0.0)	0.0	(0.0)
JAEGER	0.4	(n/a)	0.0	(n/a)	1.2	(n/a)	0.8	(n/a)	0.0	(n/a)

* Trace: less than 0.05 percent

All Barley (Malting, Feed and Hulless)

Percentage of seeded acres / () = last year

Variety	Praire Average	Manitoba	Saskatchewan	Alberta	BC
Two-row (malt)	43.7 (40.5)	18.2 (13.2)	51.2 (52.5)	43.5 (37.1)	53.1 (22.4)
Six-row (malt)	20.7 (18.5)	55.6 (54.9)	27.0 (21.8)	3.9 (5.2)	3.2 (23.4)
Feed (2&6 Row)	33.2 (37.5)	18.8 (23.5)	19.7 (22.4)	51.6 (55.3)	43.7 (54.2)
Hulless (2&6 Row)	2.3 (3.5)	7.4 (8.4)	2.1 (3.3)	1.0 (2.4)	0.0 (0.0)

* Trace: less than 0.05 percent

Questions? Comments? E-Mail:
questions@cwbc.ca

The Canadian Wheat Board
 Prairie strong, worldwide

© January 1, 1997. The Canadian Wheat Board.
 All rights reserved.